

## § 228.21

### § 228.21 Entitlement as a spouse or divorced spouse and as a survivor.

If an individual is entitled to both a spouse or divorced spouse and survivor annuity, only the larger annuity will be paid. However, if the individual so chooses, he or she may receive the smaller annuity rather than the larger annuity.

### § 228.22 Entitlement to more than one survivor annuity.

If an individual is entitled to more than one survivor annuity, only the larger annuity will be paid. However, if the individual so chooses, he or she may receive the smaller annuity rather than the larger annuity.

### § 228.23 Priority of reductions.

The tier I component of the survivor annuity is first reduced by the family maximum, if applicable, then any applicable age reduction, then by any public pension offset, then by any social security benefit payable, then by the tier I component of any employee annuity payable to the survivor annuitant.

### § 228.40 Cost of living increase applicable to the tier I annuity component.

The tier I annuity component of a survivor annuity is increased at the same time and by the same percentage as the increase provided for under section 215(i) of the Social Security Act. The amount of the increase is published in the FEDERAL REGISTER annually. The cost-of-living increase is payable beginning with the benefit for the month of December of the year for which the increase is due. The increase is paid in the January payment.

## Subpart C—The Tier II Annuity Component

### § 228.50 Tier II annuity component widow(er), child, or parent.

(a) *General.* The tier II annuity component is an additional amount payable to a widow(er), disabled widow(er), child, or parent, but not to a surviving divorced spouse or remarried widow(er), and a parent as provided in paragraph (b)(2) of this section, based on the railroad employee's earnings in

## 20 CFR Ch. II (4–1–08 Edition)

the railroad industry. Unlike the tier I annuity component it is not reduced for any other social insurance benefit except a railroad retirement annuity. See §§ 228.20–228.23 of this part.

(b) *Amount of the tier II annuity component (1981 amendment)*—(1) *Widow(er) or disabled widow(er).* The amount of a widow(er)'s or disabled widow(er)'s tier II annuity component is 50 percent of the amount of the employee's tier II which would have been payable in the month in which the widow became entitled had the employee been alive and in receipt of an annuity under the Railroad Retirement Act at that time.

(2) *Parent.* The amount of a parent's tier II annuity component is 35 percent of the amount of the employee's tier II annuity component which would have been payable in the month in which the parent became entitled had the employee been alive and in receipt of an annuity under the Railroad Retirement Act at that time. However, if another survivor is entitled, or potentially entitled, to a tier II annuity component, the parent tier II annuity component is zero.

(3) *Child.* The amount of each child's tier II annuity component is 15 percent of the employee's tier II annuity component which would have been payable in the month in which the child became entitled had the employee been alive and in receipt of an annuity under the Railroad Retirement Act at that time.

(c) *Minimum tier II survivor annuity components.* If the total tier II annuity components payable to survivors is less than 35 percent of the employee's tier II annuity component which would have been payable in the month the survivors became entitled had the employee been alive and in receipt of an annuity under the Railroad Retirement Act at that time, the individual tier II annuity components computed in paragraph (b) of this section shall be increased proportionally so that the total of all such tier II annuity components equals 35 percent of the employee's tier II annuity component.

(d) *Maximum tier II annuity components.* If the total tier II survivor annuity components payable to survivors exceeds 80 percent of the employee's tier II annuity component which would